



roofer RW3400

roofer RW3400

the professional lightweight welder for the roof





roofer RW3400

The handy hot air welder prevails giant machines in welding quality: handy, simple and good!



simple. good. affordable.



Extra wide 40 mm welding nozzle fulfills international roofing standards.

Heavy weight direct above the contact roller results in a high quality weld seam.



Powerful 3400 W hot air blower to achieve the desired temperature and air volume.

Integrated laser beam for easy machine guidance.

- Free adjustable speed up to 7.5 m/min
- Made for TPO and PVC materials
- Automatic driving and welding start
- Guide bar and lifting device for easy handling
- Free variable welding temperature

The ideal supplement to the WELDY roofing devices



WELDY energy 1600 overlap welding kit



Perfect storage case for all necessary tools (included with purchase)



Technical data roofer RW3400

Voltage	V~	230
Power	W	3500
Dimensions (L x W x H)	mm	470 x 285 x 320 without guide bar
Temperature	°C	50–600
Weight	kg	15
Speed	m/min	1 – 7.5
Welding nozzle width	mm	40

Due to our continuing program of research and development, the specifications herein are subject to change without prior notice.

Order numbers

roofer RW3400 40 mm weld seam with 16 A CEE plug: **145.590**
Included with purchase: strong storage box, spare heating element Weldy and brass brush

energy 1600 hot air hand tool overlap welding kit (230 V) with EU plug: **130.468**
(including wide slot nozzle 20 and 40 mm, plus pressure roller)

Your Sales and Service partner

WELDY AG
Galileo-Strasse 10

CH-6056 Kaegiswil
Switzerland

Australia info@weldy.com.au www.weldy.com.au
New Zealand info@weldy.co.nz www.weldy.co.nz